



European Brand

MT36 Magnetic Track Light System

Wonderful Lighting Control, Link with Heart



High Light Efficiency
Up to 100lm/W

Anti-glare
UGR \leq 6(MAX)

Magnetic Track

CRI \geq 90



MT36

Magnetic Track Light System

Features :

• Various Modules, Combinations at Will.

Spotlight, grid spotlight, adjustable grid spotlight, linear light, pendant light

Full range of lighting modules, all effects wonderfully presented.

• Low UGR Design, Soft Lighting

Different lighting modules adopt different anti-glare designs. TIR lens, anti-glare reflector, deeply hidden light source, double-layer optical cover—Strive for excellent lighting quality.

• Simplism Design, Delicate Appearance

Classy slim light & track—delicacy & simplicity, fashion at its simplest, excellent interpretation of light aesthetics.

• Superb Light Efficiency, Brighter but Less Electricity Used

All lighting modules reach a light efficiency of 90lm/W—Less is more.

• Double Locking: Strong Magnetic + Safe Clip Installation

The double locking mechanism ensures safe and smooth movement of all lighting modules while enabling effortless installation.

• Smart Versions Available, Dimming+CCT Adjust Fully Control

All Lighting modules have smart versions. On-off, dimming and color temperature adjust—gain full control over all modules via our Simon Smart app.

Application :



Home



Public area



Commercial



Hotel

Certification :




Specification

DC 48V	UGR ≤6*	CRI 90	INSTR Recessed	Finishing Black	Lifetime 50000h
-------------------	--------------------	-------------------	---------------------------	----------------------------	----------------------------

Order Code	Product Description	Luminous Flux(lm)	Light Efficiency (lm/W)	Nominal Power	Color Temperature	Product Size (mm)	Quantity Per Box	Carton Size (L*W*H mm)
N6424-0987	MT36 LED 48V Track Spotlight6W3000K24°BK	550	95	6	3000	L163*W42*H186	20	280×260×420
N6424-0988	MT36 LED 48V Track Spotlight6W3500K24°BK	550	95	6	3500	L163*W42*H186	20	280×260×420
N6424-0989	MT36 LED 48V Track Spotlight6W4000K24°BK	600	100	6	4000	L163*W42*H186	20	280×260×420
N6424-0990	MT36 LED 48V Track Spotlight10W3000K24°BK	700	70	10	3000	L163*W42*H186	20	280×260×420
N6424-0991	MT36 LED 48V Track Spotlight10W3500K24°BK	700	70	10	3500	L163*W42*H186	20	280×260×420
N6424-0992	MT36 LED 48V Track Spotlight10W4000K24°BK	750	75	10	4000	L163*W42*H186	20	280×260×420
N6424-0993	MT36 LED 48V Track Pendant9W3000K24°BK	650	75	9	3000	ø42*H240	20	395×320×315
N6424-0994	MT36 LED 48V Track Pendant9W3500K24°BK	650	75	9	3500	ø42*H240	20	395×320×315
N6424-0995	MT36 LED 48V Track Pendant9W4000K24°BK	700	80	9	4000	ø42*H240	20	395×320×315
N6424-0996	MT36 LED 48V Track Grid Spotlight6W3000K24°BK	550	95	6	3000	L228*W22*H43	20	305×290×115
N6424-0997	MT36 LED 48V Track Grid Spotlight6W3500K24°BK	550	95	6	3500	L228*W22*H43	20	305×290×115
N6424-0998	MT36 LED 48V Track Grid Spotlight6W4000K24°BK	600	100	6	4000	L228*W22*H43	20	305×290×115
N6424-0999	MT36 LED 48V Track Grid Spotlight12W3000K24°BK	1100	95	12	3000	L336*W22*H43	20	395×305×115
N6424-1000	MT36 LED 48V Track Grid Spotlight12W3500K24°BK	1100	95	12	3500	L336*W22*H43	20	395×305×115
N6424-1001	MT36 LED 48V Track Grid Spotlight12W4000K24°BK	1150	100	12	4000	L336*W22*H43	20	395×305×115
N6424-1002	MT36 LED48V TRK Adjust GridSpotlight6W3000K24°BK	550	95	6	3000	L235*W22*H100	20	560×470×220
N6424-1003	MT36 LED48V TRK Adjust GridSpotlight6W3500K24°BK	550	95	6	3500	L235*W22*H100	20	560×470×220
N6424-1004	MT36 LED48V TRK Adjust GridSpotlight6W4000K24°BK	600	100	6	4000	L235*W22*H100	20	560×470×220
N6424-1005	MT36 LED48V TRK Adjust GridSpotlight12W3000K24°BK	1100	95	12	3000	L343*W22*H100	20	470×400×420
N6424-1006	MT36 LED48V TRK Adjust GridSpotlight12W3500K24°BK	1100	95	12	3500	L343*W22*H100	20	470×400×420
N6424-1007	MT36 LED48V TRK Adjust GridSpotlight12W4000K24°BK	1150	100	12	4000	L343*W22*H100	20	470×400×420
N6424-1008	MT36 LED 48V Track Linear Light7W3000K BK	550	80	7	3000	L336*W22*H43	20	395×305×115
N6424-1009	MT36 LED 48V Track Linear Light7W3500K BK	550	80	7	3500	L336*W22*H43	20	395×305×115
N6424-1010	MT36 LED 48V Track Linear Light7W4000K BK	600	90	7	4000	L336*W22*H43	20	395×305×115
N6424-1011	MT36 LED 48V Track Linear Light12W3000K BK	1050	90	12	3000	L444*W22*H43	20	505×305×115
N6424-1012	MT36 LED 48V Track Linear Light12W3500K BK	1050	90	12	3500	L444*W22*H43	20	505×305×115
N6424-1013	MT36 LED 48V Track Linear Light12W4000K BK	1100	95	12	4000	L444*W22*H43	20	505×305×115
N6600-1037	MT36 Recessed Magnetic Track 1meterBK	-	-	-	-	L76*W55*H1000	10	1080×375×65
N6600-1038	MT36 Recessed Magnetic Track 2meterBK	-	-	-	-	L76*W55*H2000	6	2080×245×65
N6600-1039	MT36 L corner acc_Horizontal BK	-	-	-	-	L86*W86*H53	30	330×320×225
N6600-1040	MT36 L corner acc_Vertical BK	-	-	-	-	L86*W86*H31	30	330×320×225
N6600-1041	MT36 Power connector 0.2meter BK	-	-	-	-	L270*W16*H18.5	50	225×150×150
N6600-1042	MT36 I shape Power connector BK	-	-	-	-	L195*W16*H18.5	50	225×215×100
N6600-1043	MT36 corner Power connector BK	-	-	-	-	L290*W16*H18.5	50	225×215×145
N6524-0442	MT36 Recessed 48V constant voltage Driver150w	-	-	150w	-	L308xW22.6xH47	10	370×210×130

Dimensional Drawing:



Smart MT36 Magnetic Track Light System

Features :

• Tunable White from 2700K to 5700K & Dimming Brightness

Stepless dimming/color temperature adjust. Higher brightness/color temperature for daily working scenarios; Lower brightness/color temperature suits leisure and sleeping scenarios. Multiple lights can be separately controlled. Choose at will & precision adjustment.

• Support Switch Control & Scene Setting

Integrate with Simon Smart System, ZigBee 3.0 compatible. Wall switch control works with Simon Smart tunable white & dimming switch, and HomePad Air.

• Voice control Support

Voice control works with Alexa, Google speaker and Siri.

•Support App Remote Control & Scene Setting

All functions can also be realized through our Simon Smart App—various scenarios, personalized customization.

Specification

DC 48V	Zigbee 3.0	CCT 2700K-5700K	Stepless Dimming	UGR ≤6*	CRI 90	INSTL Recessed	Finishing Black	Lifetime 50000h
-------------------	-----------------------	----------------------------	-----------------------------	--------------------	-------------------	---------------------------	----------------------------	----------------------------

Order Code	Product Description	Nominal Power	Color Temperature	Luminous Flux (lm)	Light Efficiency (lm/W)	Product Size (mm)	Quantity Per Box	Carton Size (L*W*H mm)
N6424-1042	Smart MT36 48V TunableWH TRK Spotlight 10W BK	10w	2700-5700K	-	-	ø42*180*H158	20	280×260×420
N6424-1040	Smart MT36 48V TunableWH TRK GridSpotlight 12W BK	12w	2700-5700K	-	-	L328*W22*H42.6	20	395×305×115
N6424-1041	Smart MT36 48V TunableWH TRK Adjust GridSpotlight12W BK	12w	2700-5700K	-	-	L334*W22*H100	20	470×400×420
N6424-1043	Smart MT36 48V TunableWH TRK Linear Light 12W BK	12w	2700-5700K	-	-	L436*W22*H42.6	20	505×305×115
N6424-1044	Smart M36 48V TunableWH TRK Pendant 10W BK	10w	2700-5700K	-	-	ø41.5*1508	20	395×320×315